
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





"Welcome Shelter Near Trail's End"

FEDERAL-STATE COOPERATIVE SNOW SURVEYS AND IRRIGATION WATER FORECASTS

for

COLORADO RIVER DRAINAGE BASIN

FEBRUARY 1,1947

By

Division of Irrigation, Soil Conservation Service
United States Department of Agriculture
and
Colorado Agricultural Experiment Station

Data included in this report were obtained by the agencies named above in cooperation with the U.S. Forest Service, National Park Service, State Engineers of Colorado, Wyoming and New Mexico and other Federal, State and local organizations.



FEDERAL-STATE COOPERATIVE

SNOW SURVEYS AND IRRIGATION WATER FORECASTS

FOR

COLORADO RIVER DRAINAGE BASIN



Report Prepared by
Division of Irrigation
Soil Conservation Service

and

Colorado Agricultural Experiment Station
Fort Collins, Colorado

Miscellaneous Series Paper No. 352 Colorado Agricultural Experiment Station



WATER SUPPLY OUTLOOK

COLORADO RIVER DRAINAGE

February 1, 1947

The prospect for normal water supplies in the Colorado River and its tributaries in Colorado is now favorable. The snow cover on the Gunnison and White Rivers is about 20 percent above normal. On the main stem of the Colorado River, the runoff prospects are slightly better than average. On the Yampa River the snow is only 75 percent of average. At higher elevations on the watershed of the San Juan and Animas Rivers the water content of the snow is about average but considerably better than last year on February 1. Precipitation in the valley areas has been deficient the past month. Soil moisture, range and crop conditions are generally good.

On the tributaries of the Colorado River in western New Mexico and in Arizona the snow is light. Precipitation has been sub-normal and reservoir storage is extremely low. The prospects for adequate irrigation water supply in Arizona are poor at this time.

COLORADO RIVER AND TRIBUTARIES IN COLORADO

Colorado River. The snow cover on the headwaters of the Colorado River, above Grand Junction, is about ten percent more than normal but a little less than a year ago. On areas near the Continental Divide the snow averages somewhat less than last year. This is balanced by snow on Grand Mesa which is about double that of last year and 25 percent above normal. The snow on the Roaring Fork is approximately 20 percent above last year. Storage in Green Mountain reservoir is 86,000 acre-fect in comparison with 67,000 a year ago. Precipitation has been below normal in the valley areas this past month. Soil moisture is generally good. Crop and range conditions are reported from fair to good.

Gunnison River. The water supply prospects on the Gunnison River, this coming season, are about 25 percent better than last year and slightly more than average. As for the Colorado River, the snow xover on Grand Mesa is heavy, but near the Continental Divide and on the south portion of the watershed it is average or below. The snow on Sunshine Mountain course on the Take Fork and Ironton Park course on the Uncompander River are both about 20 percent below average and a like amount less than last year. Storage in Taylor Park reservoir is 66,500 acre-feet as compared with 82,500 a year ago. Soil moisture conditions are poor to fair. Crop and range conditions are generally reported as good. Stream flow is slightly below normal.

Yampa and White Rivers. The water content of the snow on the headwaters of the Yampa, as shown by recent snow surveys, is about 25 percent below last year and slightly under average. The snow at Columbine Lodge and Dry Lake snow courses, east of Steamboat Springs, is especially deficient. At the head of the Yampa and Elk Rivers the water content is average. The snow cover at higher elevations on the White River is normal and about the same as a year ago. Soil moisture conditions on these drainages is reported to be good. The crop area in the upper valley is snow covered at this time.


San Juan River. On the watersheds of the San Juan and Animas Rivers snow is about average for this time of year. The water content of the snow on Wolf Creek Pass and west along the Continental Divide is two to three times more than it was a year ago. At lower elevations it is somewhat below average. Precipitation on the New Mexico tributaries of the San Juan is deficient. Soil moisture is good due to fall rains. Range and crop conditions are also good. The present storage in Vallecito Reservoir, on the Los Piños River, is 57,000 acre-feet as compared with 39,000 a year ago.

Dolores River. According to recent snow surveys the water content measured on courses on the Dolores River is about average and the same as a year ago. During the fall the precipitation was well above normal but recently it has been slightly deficient. Soil moisture is reported as good.

COLORADO RIVER TRIBUTARIES IN ARIZONA

The outlook for an adequate water supply for irrigated areas in Arizona at this time is poor. At higher elevations on the watersheds of the Gila, Salt, Little Colorado and Williams Rivers the snow is about the same as last year and only 50 percent of normal. Precipitation during the past month has been approximately one-third of normal in northern Arizona and about one-half on the Salt and Gila watersheds. Soil moisture conditions are reported as poor except in the higher elevations of the Salt River Valley where it is fair to good. Storage in the major reservoirs is extremely low. In the Salt River Valley reservoirs there is now in storage about 425,000 acre-feet in comparison with 725.000 a year ago. In the San Carlos Reservoir, on the Gila River the storage is 17,000 acre-feet. A year ago it was 26,000 and the average for the past ten years, as of February first, is 224,000.

Storage in Lake Mead, on January 15, was 17,600.000 acre-feet or about 1,800,000 less than a year ago.



SNOW SURVEYS AND IRRIGATION WATER FORECASTS

COLORADO RIVER BASIN

STATUS OF RESERVOIR STORAGE, FEBRUARY 1, 1947

IN STORAGE About February 1, 1947	1936-45 *		.2 53.4			0.		0.964 0.						<u></u>	.7 17.5	
About I	1944		84	28.7	15.	30.0	21230.0	582.0		793.	217.	14.7	<u>`</u>	16.	2.7	281.
1 1	1945		55.6	7.8	0.8	63.0	19908.0	577.0		618.8	219.4	21.2	11.8	11.1	3.9	105.7
THOUSANTS ACRE FEET	1946		82.5	38.6	8	72.0	19417.0	572.0		476.4	223.3	21.4	7.1	7.8	3,4	26.1
THOUSAN	1947		66.5	57.3	1 1	86.0	17603.0	602.0		169.9	208.1	31.9	14.5		2.9	17.0
USABLE CAPACITY	(Thous.A Ft.)		106.2	126.3	21.7	146.9	27935.0	0.889		1420.0	245.1	58.0	70.0	200.0	173.0	1200.0
RESERVOIR			Taylor Park	Vallecito	Groundhog	Green Mountain	Lake Mead**	Lake Havasu**		Roosevelt	Horse Mesa	Mormon Flat	Stewart Mt.	Bartlett	Carl Pleasant	San Carlos
BASIN AND STREAM		COLORAIO DRAINAGE	Taylor River	Los Pinos River	Groundhog Creek	Blue River	Colorado River	Colorado River	SALT AND GILA DRAINAGE	Salt River	E	=	2	Verde River	Aqua Fria River	Gila River

*Some for shorter periods.

,

7

SNOW SURVEYS AND IRRIGATION WATER FORECASTS

COLORADO RIVER BASIN

SUMMARY OF FEBRUARY 1 SNOW SURVEYS AND COMPARISON OF DATA WITH THAT OF PREVIOUS February 1, 1947

YEARS BY WATERSHEDS


					77	ת מושה	TERNO DI MALEROHETO	272					
						-	March						1
LIAMEDOCIONO	Č	-			,		Jagman				1947 Water	1947 Water Content in	
CTTUCUTTEM	Shor	Snow Depth		Water	Water Content	ant	Courses	Snow	Snow Bensity		TONGON TO	+ 0+0	
	Twelve	1976	1947	Twelve 1946 1947 Tralys	7016 7101	101.7	1	E			107	10 01	1
)		0 A T O M T		1741	11	TWELVE	1340	1 246T	Twelve	1946	
	l year			Year			Average	year	ethody	_	VERN	١	
	Avg.*			Avg.*)	AVO.*			* * * * * * * * * * * * * * * * * * * *		
COLORADO RIVER	In.	In.	In.	In.	In.	In.		+	Percent.	Poncon+	٠, ٣		1
Colorado River**	35.0	37.4	36.6	77	0	α	00			1 61 06110	r	,	
Yamna River	יו ניון			- 0	10) (J -	22	, 1	23	OTT	200	
TO A THE THE TAIL	+ + + + + + + + + + + + + + + + + + + +	1. 1.	40.0	7.	17.0	9.1	4	23	25	77	76:	77	
White Kiver	38.5	42.6	42.6	4.6	0.6	10.5	ċ	70	00	NO.	. (
Roaring Fork	30.9	34 4	1 1/5	0,1	7	α) (- (7 (7	777	TT4	
	7000	h (1.10	v.,	•	v.	Υ)	25	22	54	118	901	
duminson Kiver	3.6	36.5	36.6	9.00	7.1	6.1	77	23	23	ر ا	901) a	
Uncompandre River	29.7	28.8	0,9%	0 2	V	, v	r	ी त	3 6) (700	750	
Dolores River	7 00	9 - 60) C	0 - 7		> (٠	47	23	73	2)	76	
	- 0	0.12	7.00	T.0	0.0	γ. 2.	7	21	23	50	£	000	
San Juan River	32.8	19.5	58.6	8.1	4.1	2.8	7	ירט	, 7	07	90		
Animas River	25.7	21.2	24.2	5.7	- T	2 7	- m	, 0	1 6	- C	0 0	130	
Gila River	α, σ	V	ע ע		10	\ -) C	7 (77	270	2	027	
Solt Distory) () (11	1.0	O I	±. ⊢	_	ري ري	24	22	20	87	
Dar o IVI Vel	0.01	1.0	0.(0,0	7.7	1.9	5	56	χ γ	œ	73	כרר	
**Above Grand Junction		*Some for shorter	or sho	1	mericds.							777	ı

PRECIPITATION DATA

Departure from	Normal Inches -0.42 -0.33 -1.01
Pre	Inches 1.07 0.71 0.50 0.45
and the second designation of the second	Inches -0.35 -1.91 -0.67 -0.41
Precipitation* October 1 to January 31	Inches 6.21 5.13 2.53 4.50 2.38
STATE	Colorado Wyoming New Mexico Arizona New Mexico
WATERSHED	Colorado Green San Juan Colorado Gila


on the Colorado River drainage in Colorado and on the Green River drainage in Wyoming. Precipitation was below normal The accumulated precipitation since October 1 over the watershed of the Colorado River was below normal except over the entire drainage basin for January.

*Precipitation tentative



COLORAIO RIVER SNOW SURVEYS, February 1, 1947


			T,OCATTOR	TTON				CNOM	CANON COLTED MEASITEMENING	TTDEMENT	r		
IRAINAGE BASIN								Weter (Content	(inches)		Fast Record	1
and commen	No.	Č	E			0	Show				Years	Av. Water	
ACUTOO O	State	2 2 2	• ⋈ ⊢	range Bange	ELEV.	Survey	or bepth Survey (Inches)	1947	9461	1945	of Record	Content (Tuches)	
		:	!			COLORALO	LO RIVER	In.	In	In.	3 1000	(COLLOS)	1
IVER	0	June	tion)					1					
Park View*	S	124	N.	7.8W	9200	2/3	29.8	6.8	9.1	3.0	11	5.1	
Phantom Valley	12 "	[NS	75%	9300	. `	24.4	4.8	0.00	3.4	12	0.0	
	16 "	35	23	MG!	6.700	. ~	30.7	6.8	11.2	7.3	12	9.	
Tennessee Pass*	19 "	27	88	8cM	10200	2/4	4.62	5.2	7.2	3.5	12	9.4	
Ind. Pass Tunnel	33 "	30	118	82W	10200	2/2	4.94	11.5	11.5	8.9	12	9.5	
N.Lost Trail Cr.	34 "	26	118	87W	9200	_	34.8	4.8		6.3	12		
M.Fork Cemp Gr.	37 "	16	38	MJ.	0006	5/6	24.0	5.3	CV.	0.4	12	٦.	
Fiddler Gulch	1, 44	П	88	80W	11000	1/31	0.44	6.3	11.2	5.5	12	· ©	
Nast	45 "	7	88	83W	8700	1/31	21.0	6.4	0.4	1.7	12	3.9	
Mesa Lakes	= 900	35	118	M96	10000		37.5	10.0	5.7	8.0	11	0.6	
TuTu	65	25	NO ON	16M	10200	2/1	39.3	9.2	10.2	2.0	0	10.4	
Willow Creek P.	29	П	N ⁺ 7	7,8W	9500	2/3	38.1	0.8	11.4	. m	. 0	8.9	
M.Inlet Grand L.	49	56	N [†]	MG /:	0006	2/4	24.9	5.6	6.1	3.7) C	6.4	
Loke Irene	69	ω	NE	M52	10600	2/2	54.7	13.6	13.6	0	70	11.9	
Thunderbolt Peak	= =	25	87	M77	9500	2/2	45.7	12.4	11.8	ω.	10	9.6	
Tonlond	= 0010	ر ا ا	ט ה	M C L	0000	1/2/0	7. 4.Z	0,0	٥ ٥ ٥	⇒ r) 	п /п Oʻa	
Pass #2	=	20	38	M62	11400	1/31	ント マト	00	77.11	2 N	75	0.4.	
0	85 ==	23	118		10000	1/31	4.69	21.12	10.0	16.4	∞	15.4	
ss No. 2	16	2.	NN,	83W	9100	1/29	33,0	9.9	8.1		12	, <u>, , , , , , , , , , , , , , , , , , </u>	
Chrine Pass	0.00	70	 		10500	1/31	W. (1)	بر ارب	מימ	0 r	V0	~ o	
Cert	1001	12			10400	2/3	30.00	/w	0.00	2) (J	10	
Glen-Mar Ranch		31	128	M.	38 20 20 30 30 30 30 30 30 30 30 30 30 30 30 30	5/6	24.7	6.1	!	1	~	6.1	
YAMPA RIVER Dry Lake	6 0010.	56	N.	84W	8200	1/31	4.74	80	12.8	7.8	ω	10.1	
Columbine Lodge*		21	K	82W	9300	2/1	0.64	10.9	16.2	10.8	12	12.6	
Elk River Lyny Pagg No 2*	= =	9 [0	NOT NO	000 M	8700	2/1	¥2.7	10.1	10,1	 	00	∞ r ∞ u	
	+ \	J	Í	¥ ()	2100	7/23	22.00	0	† 0	?;	J	-	
WHITE RIVER	, (Ĺ	(, , (((((
Burro Mountain Rio Blanco	36 "	28 28		92LW 88W	9000	1/31	38.2	10.8	0.0 0.0 0.0	9.0	27 6	0.0 0.0	
*On adjacent drainage	nage	_		_		-			- Carlotte				



-7-COLORADO RIVER SNOW SURVEYS, February 1, 1947

1/30 1/28 1/28 1/30 1/27 1/27 1/27 1/27 1/27 1/37 1/27 1/37	6W 10200 2/1 25.8 95W 10700 1/28 50.6 7W 9800 1/30 26.0 ZE 10000 1/27 50.2 1E 10000 1/27 50.2 TW 94.00 1/27 56.4	9.7 7.8 8 6.0 5.6 11	10.00	3.9 4.0 11	4.6 2.9 12	7.1 6.6 12	S-1		11.5- 6.8 12	In. In. In.	1947 1946 1945 record (Inches)	Years Av. Wager	Water Content (inches) Past Record	SNOW COURSE MEASUREMENTS
1/27	1E 10000 1/27 7W 94.0C 17/31	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	14.1 5.0 6.6	5.0 6.6 20.1 10.7 20.1 10.0 7.1 9.7 4.7 6.0 14.1	17.8 3.9 3.9 3.9 20.1 20.1 10.0 7.1 4.7 6.0 14.1 5.0 6.6	20.4 3.9 3.9 4.3 4.3 4.3 4.3 5.0 20.1 20.1 20.1 20.1 10.0 7.1 10.0 10	20.1 20.2 4.3 4.3 4.9 4.9 20.1	8.1 6.1 6.1 7.1 7.1 7.1 8.7 1.7 8.7 1.7 8.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1	8.4 8.4 8.7 8.7 17.8 8.7 17.8 8.7 17.8 8.1 17.9 17.1 17.0 1	11.2 8.4 8.1 6.1 8.1 6.2 7.2 4.9 4.9 4.9 4.9 4.9 4.9 6.9 8.1 20	III. 2 8.4. 8.4. 8.1. 6.1. 6.1. 6.2. 4.9. 6.9. 6.9. 6.9. 7.1. 6.9. 7.1. 6.9. 7.1. 7.1. 7.1. 7.2. 8.1. 7.3. 7.3. 8.1. 7.3. 7.4. 8.1. 7.5. 8.1. 7.1. 7.1. 7.2. 7.3. 7.3. 7.4. 7.5. 7.3. 7.4. 7.5. 7.6. 7.7. 7.7. 7.8. 8.1. 7.1. 7.1. 7.2. 7.3. 7.3. 7.3. 7.4. 7.5. 7.5. 7.6. 7.7.	1947 1946 11.2 11.5 8.4 7.5 1.9 7.1 6.1 7.1 6.2 4.5 1.7 7.1 8.1 7.1 1.7 8.1 1.7 8.1 1.7 9.7 1.4 6.0 1.4 1 1.5 6.0 1.4 1 1.5 6.0 1.6 6.6 1.7 6.0	1947 1946 11.2	H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		56.0	20.00 20.00 20.00 20.00	26.0 26.0 26.0 26.0 26.0 26.0	26.05.05 20.05.05 20.05.05 20.05.05	26.05 20.05	31.5 27.7 27.7 27.7 26.0 44.0 26.0 26.0 26.0	39. 12. 23. 23. 24. 25. 26. 26. 26. 26. 26. 26. 26. 26. 26. 26	20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0	46.4 34.8 31.8 37.5 17.3 17.3 66.4 66.4 55.6 25.8	24. 94. 93. 53. 53. 54. 68. 68. 57. 57. 57. 57. 57. 57. 57. 57. 57. 57	25.0 26.0 27.5	epth 11 12 12 13 13 14.00 12 13 15.00 12 13 15.00 12 15.	now bow bow bow bow bow bow bow bow bow b
							9000 1/30 10500 2/4 9700 1/31 10000 1/30 7500 1/30 9800 1/30				COLORALO 10200 2/2 9200 1/3: 8700 1/3: 10800 2/4 10500 2/4 10500 1/3: 9800 1/3: 9800 1/3:	10200 9200 9200 10400 10500 9700 10500 7500	ange Elev. of ong. COLORALO SWE STE 10200 2/2 TW 9200 1/3 SW 9000 9000 1/3 SW 9000 9000 9000 9000	
94 " 35 101 " 5 58 Colo. 29 26 Colo. 4 29 " 10		и. П		de ek ek					•	r el	r.	F 6 7	r.	r eg


*On adjacent drainage



COLORADO RIVER SNOW SURVEYS, February 1, 1947

		Av.Water	Content	(Inches)			5.1	4.6	ע.	!		3.7		7.0			2.2	2.9	6.0	1.4	2.3	n -	\ \cdot \cdot \cdot \cdot \cdot \cdot \ \cdot		w r	C•1	2.1	ر. د.	9.0	
	Past Record	Years		Hecord			ڼ	0	٠.			6	· C	11			10	10	9	N	10	10	10		1 10			10	07	
UREMENTS	(Inches)		1945			In.	9.0	w 0.	7.9	6.9		7.	1-	t &			4.4	3.2	9.1		3.0	J.	, t	,	9.	L. 3	ر در در	o. m.	₩.,	
SNOW COURSE MEASUREMENTS	Water Content (1946	***************************************		il.	4.5	ω.	0.0	4.6		3.1) (M	9.9	marun dina		1.4	1.3	7	cu Cu	1.7	9.7	1.4	 \	ا ۵ ا نه	1.7	_t	-	† . 1	
SNOW CO.	Water		1947		ALVER	in.	7.7			1		4.3	α α	0.0		god- 1 kamera	٦. ٦	1.8	۲.	0.0	1.6	1.6	2.2		 م د	⊣ . ⊣	₹,	9.	α α	
:	manufacture or compact of compact	Show	of Lepth	or or or or	COLORALO F		20.1	18.5	36.8	1		16.2	S 08	26.0			9.4	0)	ം യ	8.4	6	, m	<u>۲</u>	,	1.0 	0.4	6.4	(V)		_
		Date	of	Say Tag	ن ا	1	2/7	1/31	2/7	i			-	1/30			_	_	_	1/31	_	_	1/31			_	_	1/31	_	
			Elev.			(8	8600	10300	8900		9400	00 00 00 00 00 00 00 00 00 00 00 00 00	9860			3000	8000	7850	7800	8500	9008	8000		002/	0000	000	8500	0000	_
			Range	Share the sales of the sales			TIM	0 M	TOM	13W		M	MO	M			SOW	21W	TOM	TOM	3CE	30度	30E	{	23届 2014 2014 2014 2014 2014 2014 2014 2014	1 N	SSE	30日	利の 国	
LOCATION			Twp.			1	30N	NZ17	N17	NT†		NT7	SON	43N			8	S	108	118	5	N [†]	N.	 į	3 5	5.8	NO.	Ng	<u></u>	
TO			Sec.					9	54	23		10	70	1 62			전 :	9	50	9	23	CT	56	 <u> </u>	†† T	V C	200	20 C	20.7	-
		No.	and State			; ()	\circ	42	25 ==	: 8		30 0010.	3] #	- 23			II N.Mex.31		22	23 "	3 Ariz.	;; t	=		o Arlz.	- (5 :	= :		
	IRAINAGE BASIN	and	SNOW COURSE	The second section of the second section is a second section of the second section of the second section secti		LOLORES RIVER	Rico	Telluride	Lizard Head	Lone Cone	ANIMAS RIVER	Silverton SS	೧೨೮೦ವರ್	Ironton Park*		GIIA RIVER	Frisco Divide	State Line	Taylor Creek	Frimers	Nutrioso	Beaver Head	Cororado Trail	SALT RIVER	Temery From Start	rorestante	Milk Rench	Nutrioso*	Coronado Trail*	


*On adjucent drainage



COLORALO RIVER SNOW SURVEYS, February 1, 1947

SNOW COURSE MEASUREMENTS	(Inches) Past Record	Years	. of Content 1945 Record (Inches)		In.		0		course -		i =	1		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		Conrae			New Course 2 0	N
COURSE ME	Weter Content (Inches		1946		- LI		0	0	New snow	=	=	ε	 	U. 0		New Show	=	 		: :
SNOW	Weter		1947		In.		0	0	0	3.4	1.0	7.1		4.6) L) = (0.1		0	0 (
	The state of the s	Srow	Depth (Inches)	ابسيءا			0	0	0	15.5	14.2	6.1		4. C) (C	, r.	14.2		0	0 (
		Late	of Survey	COLOR			_	1/31	_	_	_	_		1/31		_ ~			1/31	
			Elev.				6200	57:00	7100	(350	7350	7100		0000	8700	7350	370	 	6200	7,0C
			Range	Man or service of the contract			3W	OW.	Ħ	Ħ8	Ħ	3国		21E	10°	J. E.	8		3W	MO !
LOCATION			Twp.				14N	16N	1.N	18N	22N.	SSIN		E &	5 8	No.	22N		NtT	16N
LOC			Sec.				22	m	\sim	13	22	2.1		0-	, , ,) C	22			<u>س</u> ا
		No.	and State				11 Ariz.	12 "	E	=	E	5	 AIVER I	7 Ariz.	: 0 m	=	=		4	12
	LRAINAGE BASIN	and	SNOW COURSE	And the second s	1	VERLE RIVER	Iron Springs*	Camp Wood	Mingus Mountain	Mormon Lake*	Fort Valley*	Chalender*	LITTLE COLORATO RIVER	Forest Dale*	Mores y	Mormor Lake	Fort Valley	WILLIAMS RIVER	Iron Springs	Cennp Wood*

*On adjacent drainage



The following organizations cooperate in the snow surveys and irribation water supply forecasts for the Colorado, Missouri-Arkansas and Rio Grande watersheds by furnishing funds or services.

STATE

Colorado State Engineer
Wyoming State Engineer
Utah State Engineer
New Mexico State Engineer
Montana State Engineer
Nebraska State Engineer
Colorado Experiment Station
Colorado Extension Service
Montana Experiment Station
Utah Experiment Station

FEDERAL

Department of Agriculture
Forest Service
Soil Conservation Service
Department of Interior
Bureau of Reclamation
Indian Service
Geological Survey
National Park Service

Department of Commerce Weather Bureau

War Department

Army Engineer Corps

PUBLIC UTILITIES

Colorado Public Service Company Western Colorado Power Company Montana Power Company

Denver and Rio Grande Western R. R. Company

MUNICIPALITIES

City of Bozeman City of Denver City of Boulder

WATER USERS ORGANIZATIONS

Poudre Valley Water Users' Association
Arkansas Valley Ditch Association
Colorado River Water Conservation District
IRRIGATION PROJECTS

Farmers Reservoir and Irrigation Company
San Luis Valley Irrigation District
Santa Maria Reservoir Company
Costilla Land Company
Uncompangre Valley Water Users' Association
Wyoming Development Company
Goshen Irrigation District
Kendrick Project
Pathfinder Irrigation District
Salt River Valley Water Users' Association
San Carlos Irrigation and Drainage District
Twin Lakes Reservoir and Canal Company

Many other organizations and individuals furnish valuable information for the snow survey reports. Their cooperation is gratefully acknowledged.

